

NCDOT Prioritization 3.0 Project Summary

SPOT ID: H090908 Mode: Highway Status: Submitted

SR-1115 (Avent Ferry Road)

From/Cross Street: NC 55 Bypass Specific Improvement Type: 1 - Widen Existing Roadway

To: Cass-Holt Road Project Category: Division Needs

Length: 1.03

Fully Funded in Draft STIP? No

Cost to NCDOT: \$7,546,000


Description:

Widen to Multi-Lanes (includes intersection Improvements at NC 55 Bypass, Piney Wilbon Road, and Cass Holt Road)

Division(s): Division 5 **County(s):** WAKE

MPOS(s)/RPO(s): Capital Area MPO

Project Location



09/23/2014 02:33 PM Highway **1/4**

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
	N/A	N/A
Totals: Weight: 0% Weighted Score: 0		

Regional	Impact	Total	Score:	0
----------	--------	-------	--------	---

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
Totals: Weight: 0% Weighted Score: 0	Percent: 15% Points: 0	Percent: 15% Points: 0

Division Needs Total Score: 73.25

Quantitative Score		Division Engineer Local Input Points	MPO/RPO Local Input Points
Congestion (V/C) (20%) Safety (10%) [Travel Time] Benefit/Cost (20%)	83.95 51.26 6.66	Percent: 25% Points: 100	Percent: 25% Points: 100
Totals: Weight: 50% Weighted Score	e: 23.25		

09/23/2014 02:33 PM Highway **2/4**

Travel Time Index:

Project Data *

Existing Conditions

Existing Cross-Section: 35 Speed Limit: Length (miles); 1.03 Arterial Facility Type: Access Control: None Functional Classification: Local Rolling Terrain Type: Lane Width: 10 Paved Shoulder Width: Roadway has Curb & Gutter? No Volume (AADT): 20000.99 15800.26 Capacity: 1.27 Volume/Capacity Ratio: 100% % Autos: % Trucks: 0% Truck Volume: 0 Crash Density: 99.81 23.32 Crash Severity: Critical Crash Rate: 30.66 0 Crash Frequency: 0 Severity Index: 3 County Tier Designation: Non-Interstate STRAHNET No Route? Average Commuting Time: 34 Existing Median Type (for **TWLTL** Cost Estimation): Pavement Condition Rating: 97 Actual Congested Speed: 0

0

Project Benefits

Project Cross-Section:	4C - 4 Lane Divided (23' Raised Median) with Curb & Gutter, Wide Outside Lanes, and Sidewalks
Speed Limit:	35
Length (miles):	1.03
Facility Type:	Arterial
Access Control:	None
Functional Classification:	Major Collector
TerrainType:	Rolling
DOT Design Lane Width:	12
DOT Design Paved Shoulder Width:	4
Travel Time Savings for 30 Years (Total):	2285075.01
Travel Time Savings for 30 Years (Autos):	2285075.01
Travel Time Savings for 30 Years (Trucks):	0
Long-Term Employment:	
% Change in Economy:	
Provides Direct Connection to Transportation Terminal?	No
Does project upgrade how the roadway functions?	No
In CTP or LRTP?	No
CTP/LRTP Name:	
CTP/LRTP Completion Year:	
Submitted by:	Division 5

09/23/2014 02:33 PM Highway **3/4**

^{*} Data reflects calculations which include weighted averages (where applicable) and represent raw output from the Department's SPOT Online tool and associated databases.

Project Ownership

Division

Division	Percent	Regional Impact	Division Needs
Division 5	100%	0	100
	0%	0	0
	0%	0	0
TOTAL Division Points		0	100

MPO/RPO

MPO/RPO	Percent	Regional Impact	Division Needs
Capital Area MPO	100%	0	100
	0%	0	0
	0%	0	0
TOTAL MPO/RPO Points		0	100

Project Cost and Source

Construction Cost:	\$6,270,000	TIP Unit
Right-of-Way Cost:	\$1,139,000	Cost Estimation Tool
Utilities Cost:	\$137,000	Cost Estimation Tool
Total Project Cost:	\$7,546,000	
Other Funding:	\$0	None
Cost to NCDOT :	\$7,546,000	

09/23/2014 02:33 PM Highway **4/4**